

East Bank Deschutes River (at its mouth)
Sherman County, OR
T1N R15E S2 & T2N R15E S25, 35

Compiled by Paul Slichter. Updated December 10, 2019
 Flora Northwest: <http://science.halleyhosting.com>

East Bank of the Deschutes River at its mouth from the State Park upstream to the
 4 mile post & the Ferry Springs Loop Trail.

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Family</u> |
|------------------------------|--|---------------|
| Western Sumac | <i>Rhus glabra</i> | Anacardiaceae |
| Poison Oak | <i>Toxicodendron diversilobum</i> | Anacardiaceae |
| Poison Ivy | <i>Toxicodendron rydbergii</i> | Anacardiaceae |
| Chervil | <i>Anthriscus caucalis</i> | Apiaceae |
| Queen Anne's Lace | <i>Daucus carota</i> | Apiaceae |
| Fern-leaf Desert Parsley | <i>Lomatium nudicaule</i> | Apiaceae |
| Pungent Desert Parsley | <i>Lomatium grayii</i> | Apiaceae |
| Slender-fruit Desert Parsley | <i>Lomatium leptocarpum</i> | Apiaceae |
| Bare-stem Desert Parsley | <i>Lomatium nudicaule</i> | Apiaceae |
| Salt and Pepper | <i>Lomatium piperi</i> | Apiaceae |
| Nine-leaf Desert Parsley | <i>Lomatium triternatum</i> | Apiaceae |
| Hemp Dogbane | <i>Apocynum cannabinum v. glaberrimum</i> | Apocynaceae |
| Narrow-leaf Milkweed | <i>Asclepias fascicularis</i> | Asclepidaceae |
| Showy Milkweed | <i>Asclepias speciosa</i> | Asclepidaceae |
| Yarrow | <i>Achillea millefolium</i> | Asteraceae |
| Annual Agoseris | <i>Agoseris heterophylla</i> | Asteraceae |
| Annual Burweed | <i>Ambrosia acanthicarpa</i> | Asteraceae |
| Low Pussytoes | <i>Antennaria dimorpha</i> | Asteraceae |
| Mayweed Chamomile | <i>Anthemis cotula</i> | Asteraceae |
| Biennial Wormwood | <i>Artemisia biennis</i> | Asteraceae |
| Dragon Wormwood | <i>Artemisia dracunculus</i> | Asteraceae |
| Riverbank Wormwood | <i>Artemisia lindleyana</i> | Asteraceae |
| Western Wormwood | <i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i> | Asteraceae |
| Big Sagebrush ? | <i>Artemisia rigida</i> ? | Asteraceae |
| Big Sagebrush | <i>Artemisia tridentata</i> ssp. <i>tridentata</i> | Asteraceae |
| Longleaf Aster | <i>Aster ascendens</i> | Asteraceae |
| Eaton's Aster | <i>Aster eatonii</i> | Asteraceae |
| Alkali Aster | <i>Aster frondosus</i> | Asteraceae |
| Western Aster | <i>Aster occidentalis</i> v. <i>intermedius</i> | Asteraceae |
| Douglas' Aster | <i>Aster subspicatus</i> | Asteraceae |
| Carey's Balsamroot | <i>Balsamorhiza careyana</i> v. <i>intermedia</i> | Asteraceae |
| Arrowleaf Balsamroot ? | <i>Balsamorhiza sagittata</i> ? | Asteraceae |
| Nodding Beggar Ticks | <i>Bidens cernua</i> | Asteraceae |
| Leafy Beggar Ticks | <i>Bidens frondosa</i> | Asteraceae |
| Blepharipappus | <i>Blepharipappus scaber</i> | Asteraceae |
| Diffuse Knapweed | <i>Centaurea diffusa</i> | Asteraceae |
| Hoary False Yarrow | <i>Chaenactis douglasii</i> v. <i>douglasii</i> | Asteraceae |
| Wavy-leaf Thistle | <i>Cirsium undulatum</i> | Asteraceae |
| Horseweed | <i>Conyza canadensis</i> | Asteraceae |

| | | |
|------------------------------|--|-----------------|
| Columbia Coreopsis | Coreopsis tinctoria v. atkinsoniana | Asteraceae |
| Gray Hawksbeard | Crepis (intermedia ?) | Asteraceae |
| Western Hawksbeard | Crepis (occidentalis ?) | Asteraceae |
| Bearded Hawksbeard | Crepis barbigera | Asteraceae |
| Gold Stars | Crocidium multicaule | Asteraceae |
| Gray Rabbitbrush | Ericameria nausosa v. speciosa | Asteraceae |
| Green Rabbitbrush | Ericameria viscidiflora ssp. lanceolata | Asteraceae |
| Thread-leaf Fleabane | Erigeron filifolius | Asteraceae |
| Shaggy Fleabane | Erigeron pumilus v. intermedius | Asteraceae |
| Western Goldenrod | Euthamia occidentalis | Asteraceae |
| Blanket Flower | Gaillardia aristata | Asteraceae |
| Lowland Cudweed | Gnaphalium palustre | Asteraceae |
| Low Gumweed | Grindelia nana v. integrifolia | Asteraceae |
| Match Brush ? | Gutierrezia sarothrae ? | Asteraceae |
| Sneezeweed | Helenium autumnale v. montanum | Asteraceae |
| Common Sunflower | Helianthus annuus | Asteraceae |
| Hairy Goldaster | Heterotheca villosa v. villosa | Asteraceae |
| Rabbit Leaf | Lagophylla ramosissima | Asteraceae |
| False Agoseris | Nothocalais troximoides | Asteraceae |
| Woolly Groundsel | Packera cana | Asteraceae |
| Giant Goldenrod | Solidago gigantea | Asteraceae |
| Stiff-branch Skeletonweed ? | Stephanomeria paniculata ? | Asteraceae |
| Common Cocklebur | Xanthium strumarium | Asteraceae |
| Tarweed Fiddleneck | Amsinckia lycopsoides | Boraginaceae |
| Weak-stem Cryptantha | Cryptantha flaccida | Boraginaceae |
| Diffuse Stickseed | Hackelia diffusa v. cottonii | Boraginaceae |
| Puccoon | Lithospermum ruderale | Boraginaceae |
| Small-flowered Forget-me-not | Myosotis laxa | Boraginaceae |
| Slender Popcorn Flower | Plagiobothrys tenellus | Boraginaceae |
| Hairy Falseflax | Camelina microcarpa | Brassicaceae |
| Little Western Bitter Cress | Cardamine oligosperma | Brassicaceae |
| Tansymustard | Descurainia incisa ssp. incisa | Brassicaceae |
| Spring Whitlow-grass | Draba verna v. boerhavii | Brassicaceae |
| Rough Wall Flower | Erysimum capitatum | Brassicaceae |
| Tumble Mustard | Sisymbrium altissimum | Brassicaceae |
| Thick-leaf Thelypody | Thelypodium laciniatum v. laciniatum | Brassicaceae |
| Fringe Pods | Thysanocarpus curvipes | Brassicaceae |
| Yellow Bee Plant | Cleome lutea ssp. lutea | Capparaceae |
| Dwarf Sandwort | Minuartia pusilla | Caryophyllaceae |
| Chickweed | Stellaria media | Caryophyllaceae |
| Tumbleweed | Salsola tragus | Chenopodiaceae |
| Field Morning Glory | Convolvulus arvensis | Convolvulaceae |
| Creek Dogwood | Cornus sericea | Cornaceae |
| Leiberg's Stonecrop | Sedum leibergii | Crassulaceae |
| Awned Flatsedge | Cyperus squarrosus | Cyperaceae |
| Three Square | Schoenoplectus americanus | Cyperaceae |
| Common Threesquare | Schoenoplectus pungens v. longispicatus ?? | Cyperaceae |
| Small-fruited Bulrush | Scirpus microcarpus | Cyperaceae |
| Ridge-seeded Spurge | Chamaesyce glyptosperma | Euphorbiaceae |

| | | |
|-------------------------------|---|-----------------|
| Turkey Mullein | <i>Eremocarpus setigerus</i> | Euphorbiaceae |
| Hood River Milkvetch | <i>Astragalus hoodianus</i> | Fabaceae |
| Howell's Milk-vetch | <i>Astragalus howellii</i> | Fabaceae |
| Yakima Milk-vetch | <i>Astragalus reventiformis</i> | Fabaceae |
| The Dalles Milk-vetch | <i>Astragalus sclerocarpus</i> | Fabaceae |
| American Licorice | <i>Glycyrrhiza lepidota</i> | Fabaceae |
| Bird's-foot Trefoil | <i>Lotus corniculatus</i> | Fabaceae |
| Spanish Clover | <i>Lotus purshiana</i> | Fabaceae |
| Spurred Lupine | <i>Lupinus arbustus</i> (old <i>L. laxiflorus</i>) | Fabaceae |
| Kellogg's Spurred Lupine | <i>Lupinus caudatus</i> (now <i>L. arbustus</i>) | Fabaceae |
| Columbia Gorge Lupine | <i>Lupinus latifolius</i> x <i>sericeus</i> | Fabaceae |
| Velvet Lupine | <i>Lupinus leucophyllus</i> | Fabaceae |
| Hybrid Lupine | <i>Lupinus leucophyllus</i> x <i>sericeus</i> ? | Fabaceae |
| White Sweet Clover | <i>Melilotus alba</i> | Fabaceae |
| Lance-leaf Scurf-pea | <i>Psoralea lanceolata</i> | Fabaceae |
| White Clover | <i>Trifolium repens</i> | Fabaceae |
| Vetch | <i>Vicia</i> sp. | Fabaceae |
| Common Centaury | <i>Centaurium erythraea</i> | Gentianaceae |
| Filaree | <i>Erodium cicutarium</i> | Geraniaceae |
| Golden Currant | <i>Ribes aureum</i> | Grossulariaceae |
| Wax Currant | <i>Ribes cereum</i> v. <i>cereum</i> | Grossulariaceae |
| Water Milfoil | <i>Myriophyllum quitense</i> | Haloragaceae |
| Mock Orange | <i>Philadelphus lewisii</i> | Hydrangeaceae |
| Silver-leaf Phacelia | <i>Phacelia hastata</i> v. <i>hastata</i> | Hydrophyllaceae |
| Common St. John's Wort | <i>Hypericum perforatum</i> | Hypericaceae |
| Baltic Rush | <i>Juncus balticus</i> | Juncaceae |
| Toad Rush | <i>Juncus bufonius</i> | Juncaceae |
| Soft Rush | <i>Juncus effusus</i> ssp. <i>effusus</i> | Juncaceae |
| Sierra Rush | <i>Juncus nevadensis</i> v. <i>nevadensis</i> | Juncaceae |
| Torrey's Rush | <i>Juncus torreyi</i> | Juncaceae |
| Horehound | <i>Marrubium vulgare</i> | Lamiaceae |
| Field Mint | <i>Mentha arvensis</i> | Lamiaceae |
| Peppermint | <i>Mentha piperita</i> | Lamiaceae |
| Catnip | <i>Nepeta cataria</i> | Lamiaceae |
| Common Camas | <i>Camassia quamash</i> | Liliaceae |
| Yellow Bells | <i>Fritillaria pudica</i> | Liliaceae |
| Bicolored Cluster Lily | <i>Triteleia grandiflora</i> ssp. <i>howellii</i> | Liliaceae |
| Blazing Star | <i>Mentzeila laevicaulis</i> | Loasaceae |
| Western Waterclover | <i>Marsilea vestita</i> ssp. <i>vestita</i> | Marsileaceae |
| White Sandverbena | <i>Abronia mellifera</i> | Nyctaginaceae |
| Tansy-leaved Evening Primrose | <i>Camissonia tanacetifolia</i> ssp. <i>tanacetifolia</i> | Onagraceae |
| Annual Willow Herb | <i>Epilobium brachycarpum</i> | Onagraceae |
| Common Willow Herb | <i>Epilobium ciliatum</i> ssp. <i>ciliatum</i> | Onagraceae |
| Fiddle Grass | <i>Epilobium hirsutum</i> | Onagraceae |
| Small-flowered Gaura | <i>Gaura parviflora</i> | Onagraceae |
| Pale Evening Primrose | <i>Oenothera pallida</i> ssp. <i>pallida</i> | Onagraceae |
| Sukscor's Broomrape | <i>Orobanche ludoviciana</i> ssp. <i>ludoviciana</i> | Orobanchaceae |
| Naked Broomrape | <i>Orobanche uniflora</i> v. <i>purpurea</i> | Orobanchaceae |
| California Poppy | <i>Eschscholtzia californica</i> | Papavaceae |

| | | |
|---|---|------------------|
| English Plantain | <i>Plantago lanceolata</i> | Plantaginaceae |
| Indian Ricegrass | <i>Achnatherum hymenoides</i> | Poaceae |
| Ripgut Brome | <i>Bromus diandrus</i> | Poaceae |
| Bottlebrush Squirreltail | <i>Elymus elymoides</i> | Poaceae |
| Basin Wildrye | <i>Leymus cinereus</i> | Poaceae |
| Big Bluegrass | <i>Poa secunda</i> ssp. <i>juncifolia</i> | Poaceae |
| Cereal Rye | <i>Secale cereale</i> | Poaceae |
| Prairie Cordgrass | <i>Spartina pectinata</i> | Poaceae |
| Midget Phlox | <i>Microsteris gracilis</i> | Polemoniaceae |
| Long-leaf Phlox | <i>Phlox longifolia</i> | Polemoniaceae |
| Heart-leaf Buckwheat (Yellow flowered form) | <i>Eriogonum compositum</i> v. <i>compositum</i> | Polygonaceae |
| Tall Buckwheat | <i>Eriogonum elatum</i> | Polygonaceae |
| Snow Buckwheat | <i>Eriogonum niveum</i> | Polygonaceae |
| Broom Buckwheat | <i>Eriogonum vimineum</i> | Polygonaceae |
| Douglas' Knotweed | <i>Polygonum douglasii</i> | Polygonaceae |
| Wiry Knotweed | <i>Polygonum majus</i> | Polygonaceae |
| Mexican Dock | <i>Rumex salicifolius</i> v. <i>mexicanus</i> | Polygonaceae |
| Veiny Dock | <i>Rumex venosus</i> | Polygonaceae |
| Miner's Lettuce | <i>Claytonia perfoliata</i> ssp. <i>perfoliata</i> | Portulacaceae |
| Rosetted Springbeauty | <i>Claytonia rubra</i> ssp. <i>depressa</i> | Portulacaceae |
| Fennel-leaved Pondweed | <i>Potamogeton pectinatus</i> | Potamogetonaceae |
| Desert Shooting Star | <i>Dodecatheon conjugens</i> | Primulaceae |
| Cusick's Shooting Star | <i>Dodecatheon cusickii</i> | Primulaceae |
| Poet's Shooting Star | <i>Dodecatheon poeticum</i> | Primulaceae |
| Upland Larkspur | <i>Delphinium nuttallianum</i> v. <i>nuttallianum</i> | Ranunculaceae |
| Shore Buttercup | <i>Ranunculus cymbalaria</i> | Ranunculaceae |
| Sagebrush Buttercup | <i>Ranunculus glaberrimus</i> v. <i>glaberrimus</i> | Ranunculaceae |
| Serviceberry | <i>Amelanchier alnifolia</i> v. | Rosaceae |
| Common Silverweed | <i>Potentilla anserina</i> ssp. <i>anserina</i> | Rosaceae |
| Riverbank Cinquefoil | <i>Potentilla rivalis</i> | Rosaceae |
| Sweet Almond | <i>Prunus dulcis</i> | Rosaceae |
| Chokecherry | <i>Prunus virginiana</i> v. <i>melanocarpa</i> | Rosaceae |
| Antelope Bitterbrush | <i>Purshia tridentata</i> | Rosaceae |
| Annual Bedstraw | <i>Galium aparine</i> v. <i>echinospermum</i> | Rubiaceae |
| Black Cottonwood | <i>Populus balsamifera</i> ssp. <i>trichocarpa</i> | Salicaceae |
| Peachleaf Willow | <i>Salix amygdaloides</i> | Salicaceae |
| Northwest Sandbar Willow | <i>Salix sessilifolia</i> | Salicaceae |
| Pale Bastard Toad-flax | <i>Comandra umbellata</i> v. <i>pallida</i> | Santalaceae |
| Gooseberry-leaved Alumroot | <i>Heuchera grossularifolia</i> v. <i>tenuifolia</i> | Saxifragaceae |
| Bulblet Prairie Star | <i>Lithophragma bulbifera</i> | Saxifragaceae |
| Smooth Prairie Star | <i>Lithophragma glabrum</i> | Saxifragaceae |
| Small-flowered prairie Star | <i>Lithophragma parviflorum</i> | Saxifragaceae |
| Northwest Saxifrage | <i>Saxifraga integrifolia</i> (v. ?) | Saxifragaceae |
| Harsh Paintbrush | <i>Castilleja hispida</i> v. <i>acuta</i> | Scrophulariaceae |
| Small-flowered Blue-eyed Mary | <i>Collinsia parviflora</i> | Scrophulariaceae |
| Waer Mudwort | <i>Limosella aquatica</i> | Scrophulariaceae |
| Slender False Pimpernel | <i>Lindernia anagallidea</i> | Scrophulariaceae |
| Common False Pimpernel | <i>Lindernia dubia</i> | Scrophulariaceae |
| Mazus ? | <i>Mazus japonicus</i> ? | Scrophulariaceae |

| | | |
|----------------------------|---|------------------|
| Manyflowered Monkey Flower | <i>Mimulus floribundus</i> | Scrophulariaceae |
| Common Monkeyflower | <i>Mimulus guttatus</i> | Scrophulariaceae |
| Cutleaf Penstemon | <i>Penstemon richardsonii v. richardsonii</i> | Scrophulariaceae |
| American Brooklime | <i>Veronica americana</i> | Scrophulariaceae |
| Water Speedwell | <i>Veronica anagallis-aquatica</i> | Scrophulariaceae |
| Jimson Weed | <i>Datura stramonium</i> | Solanaceae |
| Sacred Thorn-apple | <i>Datura wrightii</i> | Solanaceae |
| Many-flowered Tobacco | <i>Nicotiana acuminata v. multiflora</i> | Solanaceae |
| Bittersweet Nighshade | <i>Solanum dulcamara</i> | Solanaceae |
| Black Nightshade | <i>Solanum nigrum</i> | Solanaceae |
| Western Hackberry | <i>Celtis reticulata</i> | Ulmaceae |
| White Plectritis | <i>Plectritis macrocera</i> | Valerianaceae |
| Bracted Verbena | <i>Verbena bracteata</i> | Verbenaceae |
| Puncturevine | <i>Tribulus terrestris</i> | Zygophyllaceae |

Mosses, Liverworts & Spikemosses

| | | |
|-------------------------|--------------------------|-------------|
| Pulvinate Dry Rock Moss | <i>Grimmia pulvinata</i> | Grimmiaceae |
|-------------------------|--------------------------|-------------|