

Panakanic
Klickitat County, WA
T5N R12E S29 SE1/4
Compiled by Paul Slichter. Updated: June 26, 2015
Flora Northwest- <http://science.halleyhosting.com>

Genus and family names are generally (not always) from Hitchcock & Cronquist.

An asterick (*) following a common name indicates an introduced species.

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Family</u> |
|--------------------------|---|---------------|
| Vine Maple | <i>Acer circinatum</i> | Aceraceae |
| American Water Plantain | <i>Alisma triviale</i> | Alismataceae |
| Angelica ? | <i>Angelica</i> sp. ? | Apiaceae |
| Burr Chervil * | <i>Anthriscus scandicina</i> | Apiaceae |
| Douglas' Water-hemlock | <i>Cicuta douglasii</i> | Apiaceae |
| Cow Parsnip | <i>Heracleum lanatum</i> | Apiaceae |
| Salt and Pepper | <i>Lomatium gormanii</i> or <i>L. piperi</i> | Apiaceae |
| Bare-stem Desert Parsley | <i>Lomatium nudicaule</i> | Apiaceae |
| Nine-leaf Desert Parsley | <i>Lomatium triternatum</i> v. <i>anomalum</i> | Apiaceae |
| Nine-leaf Desert Parsley | <i>Lomatium triternatum</i> v. <i>triternatum</i> | Apiaceae |
| Common Sweet-cicely | <i>Osmohiza berteroii</i> | Apiaceae |
| Gairdner's Yampah | <i>Perideridia gairdneri</i> | Apiaceae |
| Sierra Snakeroot | <i>Sanicula graveolens</i> | Apiaceae |
| Flytrap Dogbane | <i>Apocynum androsaemifolium</i> (v. ?) | Apocynaceae |
| Yarrow | <i>Achillea millefolium</i> v. <i>occidentalis</i> | Asteraceae |
| Pathfinder | <i>Adenocaulon bicolor</i> | Asteraceae |
| Howell's Pussytoes | <i>Antennaria howellii</i> ssp. <i>howellii</i> | Asteraceae |
| Woodrush Pussytoes | <i>Antennaria luzuloides</i> | Asteraceae |
| Rosy Pussytoes | <i>Antennaria rosea</i> | Asteraceae |
| Dog Fennel * | <i>Anthemis cotula</i> | Asteraceae |
| Rayless Arnica ? | <i>Arnica (discoidea) ?</i> | Asteraceae |
| Meadow Arnica | <i>Arnica chamissonis</i> ssp. <i>foliosus</i> v. <i>incana</i> | Asteraceae |
| Heartleaf Arnica | <i>Arnica cordifolia</i> | Asteraceae |
| Carey's Balsamroot | <i>Balsamorhiza careyana</i> | Asteraceae |
| Canada Thistle * | <i>Cirsium arvense</i> | Asteraceae |
| Bull Thistle * | <i>Cirsium vulgare</i> | Asteraceae |
| Hall's Goldenweed | <i>Columbiadoria hallii</i> | Asteraceae |
| Western Hawksbeard | <i>Crepis occidentalis</i> | Asteraceae |
| Showy Fleabane | <i>Erigeron speciosus</i> | Asteraceae |
| Woolly Sunflower | <i>Eriophyllum lanatum</i> v. <i>leucophyllum</i> | Asteraceae |
| Rough-leaved Aster | <i>Eurybia radulina</i> | Asteraceae |
| Marsh Cudweed | <i>Gnaphalium palustre</i> | Asteraceae |
| Opposite-leaved Tarweed | <i>Hemizonella minima</i> | Asteraceae |
| White Hawkweed | <i>Hieracium albiflorum</i> | Asteraceae |
| Meadow Hawkweed * | <i>Hieracium caespitosum</i> | Asteraceae |

| | | |
|--------------------------------|--|----------------|
| Scouler's Hawkweed | <i>Hieracium scouleri</i> | Asteraceae |
| False Dandylion * | <i>Hypochaeris radicata</i> | Asteraceae |
| Prickly Lettuce * | <i>Lactuca serriola</i> | Asteraceae |
| Oxeye Daisy * | <i>Leucanthemum vulgare</i> | Asteraceae |
| Least Tarweed | <i>Madia elegans</i> | Asteraceae |
| Coast Tarweed | <i>Madia sativa</i> | Asteraceae |
| Cutleaf Microseris | <i>Microseris laciniata</i> | Asteraceae |
| Wall Lettuce * | <i>Mycelis muralis</i> | Asteraceae |
| Falsegold Groundsel | <i>Packera pseudaurea</i> | Asteraceae |
| Woolly Heads | <i>Psilocarphus sp.</i> | Asteraceae |
| Sweet -marsh Butterweed | <i>Senecio foetidus var. foetidus</i> | Asteraceae |
| Western Butterweed | <i>Senecio integrerrimus v. ochroleucus</i> | Asteraceae |
| Canada Goldenrod | <i>Solidago canadensis</i> (v. <i>elongata</i> ?) | Asteraceae |
| Western Mountain Aster | <i>Symphyotrichum spathulatum</i> (v. <i>spatulatum</i> ?) | Asteraceae |
| Common Dandylion * | <i>Taraxacum officinale</i> | Asteraceae |
| Yellow Salsify * | <i>Tragopogon dubius</i> | Asteraceae |
| Northern Wyethia | <i>Wyethia amplexicaulis</i> | Asteraceae |
| Vanilla Leaf | <i>Achlys triphylla</i> | Berberidaceae |
| Shining Oregon Grape | <i>Berberis aquifolium</i> | Berberidaceae |
| Red Alder | <i>Alnus rubra</i> | Betulaceae |
| California Filbert | <i>Corylus cornuta</i> v. <i>californica</i> | Betulaceae |
| Rigid Fiddleneck | <i>Amsinckia retrorsa</i> | Boraginaceae |
| Hound's Tongue * | <i>Cynoglossum officinale</i> | Boraginaceae |
| Puccoon | <i>Lithospermum ruderale</i> | Boraginaceae |
| Yellow and Blue Scorpionweed * | <i>Myosotis discolor</i> | Boraginaceae |
| Bay Fortet-me-not | <i>Myosotis laxa</i> | Boraginaceae |
| Fragrant Popcorn Flower | <i>Plagiobothrys figuratus</i> | Boraginaceae |
| Matted Popcornflower | <i>Plagiobothrys scouleri</i> v. <i>penicillatus</i> | Boraginaceae |
| Slender Popcornflower | <i>Plagiobothrys tenellus</i> | Boraginaceae |
| Hairy Bittercress ? * | <i>Cardamine (hirsuta) ?</i> | Brassicaceae |
| Pennsylvania Bittercress | <i>Cardamine pennsylvanica</i> | Brassicaceae |
| Spring Whitlow-grass | <i>Draba verna</i> | Brassicaceae |
| Pepperwort * | <i>Lepidium heterophyllum</i> | Brassicaceae |
| Curvepod Tansymustard | <i>Rorippa curvisiliqua</i> | Brassicaceae |
| Bog Yellowcress | <i>Rorippa palustris</i> | Brassicaceae |
| Tumblemustard * | <i>Sisymbrium altissimum</i> | Brassicaceae |
| Roundleaf Bluebell | <i>Campanula rotundifolia</i> | Campanulaceae |
| Scouler's Harebell | <i>Campanula scouleri</i> | Campanulaceae |
| Showy Downingia | <i>Downingia elegans</i> | Campanulaceae |
| Western Pearlflower | <i>Heterocodon rariflorum</i> | Campanulaceae |
| Twinsflower | <i>Linnaea borealis</i> | Caprifoliaceae |
| Black Twinberry ? | <i>Lonicera (involucrata) ?</i> | Caprifoliaceae |
| Orange Honeysuckle | <i>Lonicera ciliosa</i> | Caprifoliaceae |
| Blue Elderberry | <i>Sambucus cerulea</i> | Caprifoliaceae |
| Common Snowberry | <i>Symphoricarpos albus</i> var. <i>laevigatus</i> | Caprifoliaceae |

| | | |
|-------------------------------|---|-----------------|
| Creeping Snowberry | <i>Symphoricarpos mollis</i> | Caprifoliaceae |
| Sticky Chickweed * | <i>Cerastium glomeratum</i> | Caryophyllaceae |
| Nodding Chickweed * | <i>Cerastium nutans</i> | Caryophyllaceae |
| Deptford Pink | <i>Dianthus armeria</i> * | Caryophyllaceae |
| Bigleaf Sandwort | <i>Moehringia macrophyllum</i> | Caryophyllaceae |
| Annual Knawl* | <i>Scleranthus annuus</i> | Caryophyllaceae |
| Red Sandspurry | <i>Spergularia rubra</i> * | Caryophyllaceae |
| Longstalk Starwort | <i>Stellaria longipes</i> | Caryophyllaceae |
| Night-blooming False Bindweed | <i>Calystegia atriplicifolia</i> ssp. <i>atriplicifolia</i> | Convolvulaceae |
| Creek Dogwood | <i>Cornus sericea</i> | Cornaceae |
| Pinemat Manzanita | <i>Arctostaphylos nevadensis</i> ? | Ericaceae |
| Pinedrops | <i>Pterospora andromedea</i> | Ericaceae |
| White-vein Pyrola | <i>Pyrola picta</i> | Ericaceae |
| Tufted Huckleberry | <i>Vaccinium cespitosum</i> | Ericaceae |
| Thyme-leaved Spurge * | <i>Euphorbia serpyllifolia</i> | Euphorbiaceae |
| Leafy Pea ? | <i>Lathyrus (polyphyllus</i> ?) | Fabaceae |
| Desert Pea | <i>Lathyrus lanszwertii</i> v. <i>aridus</i> | Fabaceae |
| Bird's-foot Deer-vetch ? * | <i>Lotus (corniculatus</i> ?) | Fabaceae |
| Small-flowered Deer-vetch ? | <i>Lotus (micranthus</i> ?) | Fabaceae |
| Nevada Deer-vetch | <i>Lotus nevadensis</i> | Fabaceae |
| Bog Deer-vetch | <i>Lotus pinnatus</i> | Fabaceae |
| Spanish Clover | <i>Lotus unifoliolatus</i> | Fabaceae |
| Spurred Lupine | <i>Lupinus arbustus</i> v. <i>silvicola</i> | Fabaceae |
| Small-flowered Lupine | <i>Lupinus micranthus</i> | Fabaceae |
| Large-leaf Lupine | <i>Lupinus polyphyllus</i> ssp. <i>polyphyllus</i> | Fabaceae |
| Wyeth's Lupine | <i>Lupinus wyethii</i> | Fabaceae |
| Rabbitsfoot Clover * | <i>Trifolium arvense</i> | Fabaceae |
| Least Hop Clover * | <i>Trifolium dubium</i> | Fabaceae |
| Alsike Clover * | <i>Trifolium hybridum</i> | Fabaceae |
| Red Clover * | <i>Trifolium pratense</i> | Fabaceae |
| American Vetch | <i>Vicia americana</i> | Fabaceae |
| Hairy Vetch * | <i>Vicia villosa</i> | Fabaceae |
| Oregon White Oak | <i>Quercus garryana</i> | Fagaceae |
| Columbia Frasera | <i>Frasera albicaulis</i> var. <i>columbiana</i> | Gentianaceae |
| Filaree * | <i>Erodium cicutarium</i> | Geraniaceae |
| Straggly Currant | <i>Ribes divaricatum</i> | Grossulariaceae |
| Red-flowering Currant | <i>Ribes sanguineum</i> | Grossulariaceae |
| Mock Orange | <i>Philadelphus lewisii</i> | Hydrangeaceae |
| Dwarf Hesperochiron | <i>Hesperochiron pumilus</i> | Hydrophyllaceae |
| Ballhead Waterleaf | <i>Hydrophyllum capitatum</i> v. <i>thompsonii</i> | Hydrophyllaceae |
| Wods Nemophila | <i>Nemophila parviflora</i> v. <i>parviflora</i> | Hydrophyllaceae |
| Tinker's Penny | <i>Hypericum anagalloides</i> | Hypericaceae |
| Klamathweed * | <i>Hypericum perforatum</i> | Hypericaceae |
| Western St. John's Wort | <i>Hypericum scouleri</i> (ssp. <i>scouleri</i> ?) | Hypericaceae |
| Western Blue Flag | <i>Iris missouriensis</i> | Iridaceae |

| | | |
|---------------------------------|--|----------------|
| Blue-eyed Grass | <i>Sisyrinchium idahoense</i> | Iridaceae |
| Corn Mint | <i>Mentha arvensis</i> | Lamiaceae |
| Mint * | <i>Mentha</i> sp. | Lamiaceae |
| Selfheal | <i>Prunella vulgaris</i> v. <i>lanceolata</i> | Lamiaceae |
| Selfheal* | <i>Prunella vulgaris</i> v. <i>vulgaris</i> | Lamiaceae |
| Yerba Buena | <i>Satureja douglasii</i> | Lamiaceae |
| Cooley's Hedgenettle | <i>Stachys cooleyae</i> | Lamiaceae |
| Oblong Blue Curls | <i>Trichostema oblongum</i> | Lamiaceae |
| Nevius' Onion | <i>Allium nevii</i> | Liliaceae |
| Harvest Brodiaea | <i>Brodiaea coronaria</i> | Liliaceae |
| Long-bearded Mariposa Lily | <i>Calochortus longebarbatus</i> v. <i>longebarbatus</i> | Liliaceae |
| Sagebrush Mariposa Lily | <i>Calochortus macrocarpus</i> v. <i>macrocarpus</i> | Liliaceae |
| Large Camas | <i>Camassia leichtlinii</i> v. <i>suksdorfii</i> | Liliaceae |
| Common Camas | <i>Camassia quamash</i> v. <i>quamash</i> | Liliaceae |
| Glacier Lily | <i>Erythronium grandiflorum</i> v. <i>grandiflorum</i> | Liliaceae |
| Chocolate Lily | <i>Fritillaria affinis</i> v. <i>affinis</i> | Liliaceae |
| Columbia Lily, Tiger Lily | <i>Lilium columbianum</i> | Liliaceae |
| False Solomon Seal | <i>Maianthemum canadense</i> ssp. <i>amplexicaule</i> | Liliaceae |
| Star-flowered False Solomon Sea | <i>Maianthemum stellatum</i> | Liliaceae |
| Fairy Bells | <i>Prosartes hookeri</i> ? | Liliaceae |
| Meadow Death-camas | <i>Toxicoscordion venenosum</i> | Liliaceae |
| Wood Lily | <i>Trillium ovatum</i> | Liliaceae |
| Bicolored Cluster Lily | <i>Triteleia grandiflorum</i> ssp. <i>howellii</i> | Liliaceae |
| Hyacinth Cluster Lily | <i>Triteleia hyacinthina</i> | Liliaceae |
| White False Hellebore | <i>Veratrum californicum</i> v. <i>caudatum</i> | Liliaceae |
| Purslane Loosestrife | <i>Lythrum portula</i> | Lythraceae |
| Oregon Checker-mallow | <i>Sidalcea oregana</i> v. <i>procera</i> | Malvaceae |
| Diamond Clarkia | <i>Clarkia rhomboidea</i> | Onagraceae |
| Winecup Clarkia | <i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> | Onagraceae |
| Tall Annual Willowherb | <i>Epilobium brachycarpum</i> | Onagraceae |
| Spike-primrose | <i>Epilobium</i> (Boisduvalia) sp. | Onagraceae |
| Ciliate Willowherb | <i>Epilobium ciliatum</i> ssp. <i>ciliatum</i> | Onagraceae |
| Fairy Slipper | <i>Calypso bulbosa</i> | Orchidaceae |
| Spotted Coralroot | <i>Corallorrhiza maculata</i> | Orchidaceae |
| Striped Coralroot | <i>Corallorrhiza striata</i> | Orchidaceae |
| Rattlesnake Plantain | <i>Goodyera oblongifolia</i> | Orchidaceae |
| Rein-orchid | <i>Piperia</i> sp. | Orchidaceae |
| White Bog Orchid | <i>Platanthera dilatata</i> v. <i>dilatata</i> | Orchidaceae |
| Clustered Broomrape | <i>Orobanche fasciculata</i> | Orobanchaceae |
| Brown's Peony | <i>Paeonia brownii</i> | Paeoniaceae |
| Pacific Silver Fir | <i>Abies amabilis</i> | Pinaceae |
| Grand Fir | <i>Abies grandis</i> | Pinaceae |
| Ponderosa Pine | <i>Pinus ponderosa</i> v. <i>ponderosa</i> | Pinaceae |
| Douglas Fir | <i>Pseudotsuga menziesii</i> v. <i>menziesii</i> | Pinaceae |
| English Plantain * | <i>Plantago lanceolata</i> | Plantaginaceae |

| | | |
|-------------------------|---|------------------|
| Common Plantain * | <i>Plantago major</i> | Plantaginaceae |
| Babystars | <i>Leptosiphon bicolor</i> | Polemoniaceae |
| Midget Phlox | <i>Microsteris gracilis v. gracilis</i> | Polemoniaceae |
| Midget Phlox | <i>Microsteris gracilis v. humilior</i> | Polemoniaceae |
| Needle-leaf Navarretia | <i>Navarretia intertexta v. intertexta</i> | Polemoniaceae |
| American Bistort | <i>Bistorta bistortoides</i> | Polygonaceae |
| Tall Buckwheat | <i>Eriogonum elatum</i> | Polygonaceae |
| Water Smartweed | <i>Polygonum (amphibia ?)</i> | Polygonaceae |
| Close-flowered Knotweed | <i>Polygonum polygaloides ssp. confertiflorum</i> | Polygonaceae |
| Sheep Sorrel * | <i>Rumex acetosella</i> | Polygonaceae |
| Curly Dock * | <i>Rumex crispus</i> | Polygonaceae |
| Bitterdock * | <i>Rumex obtusifolius</i> | Polygonaceae |
| Willow Dock | <i>Rumex triangulivalvis</i> | Polygonaceae |
| Streambank Springbeauty | <i>Claytonia parviflora</i> | Polygonaceae |
| Miner's Lettuce | <i>Claytonia perfoliata ssp. intermontana</i> | Portulacaceae |
| Minter's Lettuce | <i>Claytonia perfoliata ssp. perfoliata</i> | Portulacaceae |
| Red Miner's Lettuce | <i>Claytonia rubra ssp. rubra</i> | Portulacaceae |
| Dwarf Montia ? | <i>Montia (dichotoma ?)</i> | Portulacaceae |
| Water Montia | <i>Montia chamissoi</i> | Portulacaceae |
| Water Chickweed | <i>Montia fontana</i> | Portulacaceae |
| Line-leaf Montia | <i>Montia linearis</i> | Portulacaceae |
| Floating Pondweed | <i>Potamogeton natans</i> | Potamogetonaceae |
| Broadleaf Starflower | <i>Trientalis borealis ssp. latifolia</i> | Primulaceae |
| Columbian Monkshood | <i>Aconitum columbianum ssp. columbianum</i> | Ranunculaceae |
| Red Columbine | <i>Aquilegia formosa v. formosa</i> | Ranunculaceae |
| Meadow Larkspur | <i>Delphinium distichum</i> | Ranunculaceae |
| Upland Larkspur | <i>Delphinium nuttallianum v. nuttallianum</i> | Ranunculaceae |
| Nuttall's Larkspur | <i>Delphinium nuttallii</i> | Ranunculaceae |
| Plantain-leaf Buttercup | <i>Ranunculus alismifolius v. alismifolius</i> | Ranunculaceae |
| White Water Buttercup | <i>Ranunculus aquatilis v. aquatilis</i> | Ranunculaceae |
| White Water Buttercup | <i>Ranunculus aquatilis v. diffusus</i> | Ranunculaceae |
| Creeping Spearwort | <i>Ranunculus flammula (v. ?)</i> | Ranunculaceae |
| Western Buttercup | <i>Ranunculus occidentalis v. occidentalis</i> | Ranunculaceae |
| Birdsbeak Buttercup | <i>Ranunculus orthorhynchus v. orthorhynchus</i> | Ranunculaceae |
| Creeping Buttercup ? * | <i>Ranunculus repens ?</i> | Ranunculaceae |
| Woodland Buttercup | <i>Ranunculus uncinatus v. parviflorus</i> | Ranunculaceae |
| Redstem Ceanothus | <i>Ceanothus sanguineus</i> | Rhamnaceae |
| Cusick's Serviceberry | <i>Amelanchier cusickii</i> | Rosaceae |
| Douglas' Hawthorn | <i>Crataegus douglasii v. douglasii</i> | Rosaceae |
| Woods Strawberry | <i>Fragaria vesca ssp. bracteata</i> | Rosaceae |
| Broad-petal Strawberry | <i>Fragaria virginiana ssp. platypetala</i> | Rosaceae |
| Largeleaf Avens | <i>Geum macrophyllum (v. ?)</i> | Rosaceae |
| Prairie Smoke | <i>Geum triflorum v. ciliatum</i> | Rosaceae |
| Oceanspray | <i>Holodiscus discolor</i> | Rosaceae |
| Western Crabapple | <i>Malus fusca</i> | Rosaceae |

| | | |
|-------------------------------|---|------------------|
| Pacific Ninebark | <i>Physocarpus capitatus</i> | Rosaceae |
| Nevada Cinquefoil | <i>Potentilla glandulosa</i> v. <i>nevadensis</i> | Rosaceae |
| Sticky Cinquefoil | <i>Potentilla glandulosa</i> v. <i>glandulosa</i> | Rosaceae |
| Graceful Cinquefoil | <i>Potentilla gracilis</i> v. <i>fastigiata</i> | Rosaceae |
| Sulfur Cinquefoil * | <i>Potentilla recta</i> | Rosaceae |
| Sour Cherry ? * | <i>Prunus</i> (<i>cerasus</i> ?) | Rosaceae |
| Chokecherry | <i>Prunus virginiana</i> v. <i>melanocarpa</i> | Rosaceae |
| Baldhip Rose | <i>Rosa gymnocarpa</i> | Rosaceae |
| Nootka Rose | <i>Rosa nutkana</i> v. <i>hispida</i> | Rosaceae |
| Clustered Rose | <i>Rosa pisocarpa</i> | Rosaceae |
| Pearhip Rose | <i>Rosa woodsii</i> v. <i>ultramontana</i> | Rosaceae |
| Trailing Blackberry | <i>Rubus ursinus</i> | Rosaceae |
| Annual Burnet | <i>Sanguisorba occidentalis</i> | Rosaceae |
| Douglas' Spiraea | <i>Spiraea douglasii</i> v. <i>douglasii</i> | Rosaceae |
| Piedmont Bedstraw * | <i>Cruciata pedimontana</i> | Rubiaceae |
| Annual Bedstraw | <i>Galium aparine</i> | Rubiaceae |
| Northern Bedstraw | <i>Galium boreale</i> | Rubiaceae |
| Small Bedstraw | <i>Galium trifidum</i> ssp. <i>columbianum</i> | Rubiaceae |
| Fragrant Bedstraw | <i>Galium triflorum</i> | Rubiaceae |
| Quaking Aspen | <i>Populus tremuloides</i> | Salicaceae |
| Black Cottonwood | <i>Populus trichocarpa</i> | Salicaceae |
| Arroyo Willow ? | <i>Salix</i> (<i>lasiolepis</i> ?) | Salicaceae |
| Bebb's Willow | <i>Salix bebbiana</i> | Salicaceae |
| Pacific Willow | <i>Salix lasiandra</i> (v. <i>lasiandra</i> ?) | Salicaceae |
| Scouler's Willow ? | <i>Salix scouleriana</i> | Salicaceae |
| Common Bastard Toad-flax | <i>Comandra umbellata</i> v. <i>californica</i> | Santalaceae |
| Meadow Alumroot | <i>Heuchera chlorantha</i> | Saxifragaceae |
| Bulblet Prairie Star | <i>Lithophragma bulbifera</i> | Saxifragaceae |
| Small-flowered Prairie Star | <i>Lithophragma parviflorum</i> | Saxifragaceae |
| Pacific Mitrewort | <i>Mitella trifida</i> | Saxifragaceae |
| Narrowleaf Owlclover | <i>Castilleja attenuata</i> | Scrophulariaceae |
| Common Paintbrush | <i>Castilleja miniata</i> (v. <i>miniata</i> ?) | Scrophulariaceae |
| Thin Paintbrush | <i>Castilleja tenuis</i> | Scrophulariaceae |
| Small-flowered Blue-eyed Mary | <i>Collinsia parviflora</i> | Scrophulariaceae |
| Short-flowered Monkeyflower | <i>Erythranthe breviflora</i> | Scrophulariaceae |
| Common Monkeyflower | <i>Erythranthe guttata</i> | Scrophulariaceae |
| Musk Monkeyflower | <i>Erythranthe moschata</i> | Scrophulariaceae |
| Primrose Monkeyflower | <i>Erythranthe primuloides</i> | Scrophulariaceae |
| Bractless Hedge-hyssop | <i>Gratiola ebracteata</i> | Scrophulariaceae |
| Rosy Owlsclover | <i>Orthocarpus bracteosus</i> | Scrophulariaceae |
| Dwarf Owlclover | <i>Triphysaria pusilla</i> | Scrophulariaceae |
| Common Mullein * | <i>Verbascum thapsus</i> | Scrophulariaceae |
| Corn Speedwell* | <i>Veronica arvense</i> | Scrophulariaceae |
| Purslane Speedwell | <i>Veronica peregrina</i> v. <i>xalapensis</i> | Scrophulariaceae |
| Skullcap Speedwell | <i>Veronica scutellata</i> | Scrophulariaceae |

| | | |
|------------------------|---|------------------|
| Thyme-leaved Speedwell | <i>Veronica serpyllifolia</i> (ssp. <i>serpyllifolia</i> ?) | Scrophulariaceae |
| Bur Reed | <i>Sparganium</i> sp. | Sparganiaceae |
| Rosy Plectritis | <i>Plectritis congesta</i> | Valerianaceae |
| White Plectritis | <i>Plectritis macrocera</i> | Valerianaceae |
| Corn Salad * | <i>Valerianella locusta</i> | Valerianaceae |
| Hooked-spur Violet | <i>Viola adunca</i> | Violaceae |
| Canary Violet | <i>Viola praemorsa</i> (ssp. <i>praemorsa</i> ?) | Violaceae |
| Valley Yellow Violet | <i>Viola vallicola</i> var. <i>major</i> | Violaceae |

Rushes, Sedges & Grasses

| | | |
|-------------------------|--|------------|
| Woolly Sedge ? | <i>Carex (pellita) ?</i> | Cyperaceae |
| Water Sedge | <i>Carex aquatilis</i> var. <i>aquatilis</i> | Cyperaceae |
| Slender-beak Sedge | <i>Carex athrostachya</i> | Cyperaceae |
| Golden Sedge | <i>Carex aurea</i> | Cyperaceae |
| Green-sheath Sedge | <i>Carex feta</i> | Cyperaceae |
| Fragile Sheath Sedge | <i>Carex fracta</i> ? | Cyperaceae |
| Hood's Sedge | <i>Carex hoodii</i> ? | Cyperaceae |
| Nebraska Sedge | <i>Carex nebrascensis</i> | Cyperaceae |
| Awl-fruit Sedge | <i>Carex stipata</i> ? | Cyperaceae |
| Bladder Sedge | <i>Carex utricularia</i> | Cyperaceae |
| Blister Sedge | <i>Carex vesicaria</i> ? | Cyperaceae |
| Fox Sedge | <i>Carex vulpinoidea</i> ? | Cyperaceae |
| Awned Flatsedge | <i>Cyperus squarrosus</i> | Cyperaceae |
| Needle Spikerush | <i>Eleocharis acicularis</i> | Cyperaceae |
| Common Spikerush | <i>Eleocharis palustris</i> | Cyperaceae |
| Small-fruited Bulrush | <i>Scirpus microcarpus</i> | Cyperaceae |
| Baltic Rush | <i>Juncus balticus</i> ssp. <i>ater</i> | Juncaceae |
| Toad Rush | <i>Juncus bufonius</i> | Juncaceae |
| Soft Rush | <i>Juncus effusus</i> v. <i>effusus</i> | Juncaceae |
| Daggerleaf Sedge | <i>Juncus ensifolius</i> | Juncaceae |
| Sierra Rush | <i>Juncus nevadensis</i> v. <i>nevadensis</i> | Juncaceae |
| Poverty Rush ? | <i>Juncus (tenuis) ?</i> | Juncaceae |
| Common Woodrush | <i>Luzula comosa</i> | Juncaceae |
| Lemmon's Needlegrass | <i>Achnatherum lemmonii</i> ssp. <i>lemmonii</i> | Poaceae |
| Shortawn Foxtail * | <i>Alopecurus aequalis</i> | Poaceae |
| Meadow Foxtail * | <i>Alopecurus pratensis</i> | Poaceae |
| Tall Oat-grass * | <i>Arrhenatherum elatius</i> | Poaceae |
| Meadow Brome * | <i>Bromus commutatus</i> ? | Poaceae |
| Cheatgrass * | <i>Bromus tectorum</i> | Poaceae |
| Bristly Dogtail * | <i>Cynosurus aristatus</i> | Poaceae |
| California Oatgrass | <i>Danthonia californica</i> | Poaceae |
| Tufted Hairgrass | <i>Deschampsia cespitosa</i> | Poaceae |
| Idaho Fescue ? | <i>Festuca (idahoensis) ?</i> | Poaceae |
| Northwestern Mannagrass | <i>Glyceria occidentalis</i> ? | Poaceae |
| Witchgrass * | <i>Panicum capillare</i> | Poaceae |

| | | |
|-----------------------|-------------------------------|---------|
| Reed Canary Grass * | <i>Phalaris arundinacea</i> | Poaceae |
| Cusick's Bluegrass ? | <i>Poa (cusickii ?)</i> | Poaceae |
| Sandberg's Bluegrass | <i>Poa secunda v. secunda</i> | Poaceae |
| North African Grass * | <i>Ventenata dubia</i> | Poaceae |

Ferns, Horsetails & Fern Allies

| | | |
|---------------------|---|------------------|
| Bracken Fern | <i>Pteridium aquilinum v. pubescens</i> | Dennstaedtiaceae |
| Western Sword Fern | <i>Polystichum munitum</i> | Dryopteridaceae |
| Field Horsetail | <i>Equisetum arvense</i> | Equisetaceae |
| Nuttall's Quillwort | <i>Isoetes nuttallii</i> | Isoetaceae |

Lichens, Mosses & Fungi

| | | |
|----------------------------------|-------------------------------------|------------------|
| Oregon Beaked Moss | <i>Eurhynchium oreganum</i> | Brachytheciaceae |
| Cup Lichen | <i>Cladonia (furcata ?)</i> | Cladoniaceae |
| Water Moss | <i>Fontinalis</i> sp. ? | Fontinalaceae |
| Imshaug's Witch's Hair ? | <i>Alectoria imshaugii ?</i> | Lecanorineae |
| Antlered Perfume | <i>Evernia prunastri</i> | Parmeliaceae |
| Powder-headed Tube Lichen | <i>Hypogymnia (tubulosa ?)</i> | Parmeliaceae |
| Wolf Lichen | <i>Letharia (vulpina ?)</i> | Parmeliaceae |
| Ragged Lichen | <i>Platismatia glauca</i> | Parmeliaceae |
| Greenleaf Tuckermannopsis Lichen | <i>Tuckermannopsis chlorophylla</i> | Parmeliaceae |
| Brown-eyed Sunshine Lichen | <i>Vulpicida canadensis</i> | Parmeliaceae |
| Pelt Lichen | <i>Peltigera</i> sp. | Peltigeraceae |
| Polytrichum Moss | <i>Polytrichum pilferum</i> | Polytrichaceae |
| Bolete | <i>Boletus</i> sp. | |
| Coral Fungus | <i>Ramaria</i> sp. | |
| Russula | <i>Russula</i> sp. | |
| Red Belted Conch ? | | |